# Luna ZeroDrop™

- Taking tools safely to new heights



#### TAKING TOOLS SAFELY TO NEW HEIGHTS

Now it's easier and faster to secure your tools when working at height. With Luna ZeroDrop<sup>™</sup>, simply choose any tool you think best suits your task – then choose the fall protection solution that exactly matches your tool.

#### Luna ZeroDrop™ makes it easy to secure your tools

- 1 Choose the right tool for the job
- 2 Choose the right fall protection
- 3 Put it together

Here at Luna, our goal is to make your life safer and easier.

With the market's widest range of well-known brands and tool concepts, we are constantly striving to be a complete supplier for everyone who works in the industry.

#### What is Luna ZeroDrop™?



## CUSTOMISED FALL PROTECTION FOR THE TOOL YOU NEED

It can be time-consuming finding safe and practical ways to secure your tools. We have therefore used the knowledge we have gained over 100 years of development, production and application of tools to develop ideal solutions for working at height. We have analysed, tested and measured and found solutions that we believe

are best suited to exactly the product you need or want. We have based our approach on developing fall protection options without changing the design of the tool. The solutions have been made as simple as possible in terms of weight and the practical work the tool will be used for.

#### WIDE RANGE OF TOOLS - WIDE RANGE OF FALL PROTECTION

With over 10,000 tools in stock, we are familiar with the design of many different tools and brands. We can therefore offer good solutions that cover the majority of your fall protection needs and that already include the most commonly used tools — and we are expanding and developing our range all the time.

## DIFFERENT NEEDS – DIFFERENT SOLUTIONS

Different working environments have different requirements for the kind of fall protection you should choose. Environments with heat, welding flames, acids or chemical substances will of course affect fall protection products over time. Sharp metal edges also contribute to greater wear. We have taken this into consideration and offer products in different materials that best suit your workplace.

# Which environment do you work in? Risk of heat, weld splatter, grinding spatter or sharp metal edges — use steel wire. Risk of acids or chemical products — use materials made of acid-proof steel. Working environments with flames and sharp edges require wire. We recommend using elastic lanyards as long as the working environment allows it.

#### A COMPLETE RANGE OF FLEXIBLE SOLUTIONS

Our product range consists of individual components that can be combined to provide a customised fall protection solution, whatever your needs and requirements.

#### Tether



#### **Swivels**

Our smart tool swivels fit most rotary hand tools and do not affect operation of the tool.



#### **U-clamps**

These are acid-proof clamps in different dimensions designed to fit many tools with a hole, or any another shape which provides a natural fixing point. The nut has a chemical friction lock which prevents opening. After moving the clamp between tools 3-5 times, this function will deteriorate and we recommend that it should be replaced.



#### **Retaining rings**

These rings are a good fit for any product with a waist or hole where the ring can be fitted to ensure better and simpler tethering for lanyards or wire.



#### Tape and holders

Not all tools have an optimal securing point. Our range includes a variety of holders with a D-ring, as well as reinforced self-amalgamating tape which makes this an incredibly robust and simple solution for securing your tools.





Item no:	Designation:	
264420100	U-CLAMP 6X30MM SF 316	
264420209	U-CLAMP 6X50MM SF 316	
264420308	U-CLAMP 8X30MM SF 316	
264420407	U-CLAMP 8X50MM SF 316	
264420506	U-CLAMP 10X30MM SF 316	
264420605	U-CLAMP 10X50MM SF 316	
264420704	U-CLAMP 12X30MM SF 316	
264420803	U-CLAMP 12X50MM SF 316	
264420902	U-CLAMP 14X30MM SF 316	
264421009	U-CLAMP 14X50MM SF 316	
264421108	U-CLAMP 16X30MM SF 316	
264421207	U-CLAMP 16X50MM SF 316	
264421306	U-CLAMP 18X30MM SF 316	
264421405	U-CLAMP 18X50MM SF 316	
264421504	U-CLAMP 20X30MM SF 316	
264421603	U-CLAMP 20X50MM SF 316	
264421702	U-CLAMP 22X30MM SF 316	
264421801	U-CLAMP 22X50MM SF 316	
264421900	U-CLAMP 24X30MM SF 316	
264422007	U-CLAMP 24X50MM SF 316	
264422106	U-CLAMP 26X30MM SF 316	
264422205	U-CLAMP 26X50MM SF 316	
264422304	U-CLAMP 28X30MM SF 316	
264422403	U-CLAMP 28X50MM SF 316	
264422502	U-CLAMP 30X30MM SF 316	
264422601	U-CLAMP 30X50MM SF 316	





#### Lanyards and wire



#### Lanyards and straps

Choose between nylon straps or different forms of elastic web lanyards and spiral straps. All are fitted with some form of fastening device on the end. Textile lanyards have many benefits due to their low weight, flexibility and ergonomics. They are used when there is no risk of sharp objects or open flames.



#### Acid-proof wire

Acid-proof fall protection wires are available in different dimensions and lengths. They are used when there is a risk that the steel wire will be exposed to sharp objects or open heat.



#### Reels

Tools reels for attaching to belts. The wire has a core of acid-proof wire with a swivel on end to prevent the wire from twisting. Available in different versions with and without a stop.

#### **Wrist straps**

Item no.	Designation:
264680406	WRIST STRAP W/D-RING
264900408	WRIST STRAP W/VELCRO
264900705	WRIST STRAP VELCRO/FLEX

Recommended tool weight max. 2 kg

#### Elastic and web lanyards

Item no:	Designation:
264900804	LANYARD ELASTIC 1.4M
264900903	LANYARD ELASTIC 1.0M
264641200	LANYARD ELASTIC 1.25M
264680109	LANYARD STRAP WITH SNAP HOOK 0.5M
264680208	LANYARD STRAP WITH SNAP HOOK 1.0M

Recommended tool weight max. 2 kg



#### For fixed installation

Item no:	Designation:
264680307	LANYARD STRAP WITH SNAP HOOK 1.8M
264901109	ANCHOR POINT 5X90CM



#### Spirals and reels



Item no:	Designation:
264901000	SPIRAL PLASTIC COATED 1.2M





Item no:	Designation:
264750209	TOOL REEL 125CM
264750100	TOOL REEL 125CM WITH STOP

Recommended tool weight max. 2 kg




#### Acid-proof wire

Item no:	Designation:
265340109	WIRE 3MMX0.5M SNAP HOOK WL SF 316
265340208	WIRE 3MMX1.0M SNAP HOOK WL SF 316


Recommended tool weight max. 2 kg

Item no:	Designation:
265340307	WIRE 3MMX0.5M ALUCAR WL SF 316
265340406	WIRE 3MMX1.0M ALUCAR WL SF 316

Recommended tool weight max. 2 kg



#### Acid-proof wire with snap hook



#### Acid-proof wire with loops



Item no:	Designation:
264630104	WIRE W/EYE 3MMX0.5M SF 316
264630203	WIRE W/EYE 3MMX1.0M SF 316
264630302	WIRE W/EYE 3MMX1.5M SF 316
264630401	WIRE W/EYE 4MMX0.5M SF 316
264630500	WIRE W/EYE 4MMX1.0M SF 316
264630609	WIRE W/EYE 4MMX1.5M SF 316
264630708	WIRE W/EYE 5MMX0.5M SF 316
264630807	WIRE W/EYE 5MMX1.0M SF 316
264630906	WIRE W/EYE 5MMX1.5M SF 316
264631003	WIRE W/EYE 6MMX0.5M SF 316
264631102	WIRE W/EYE 6MMX1.0M SF 316

# **Steps to Luna ZeroDrop™**- a quick guide to securing tools




1 Choose the right tool for the job



2 Choose the right fall protection

Fall protection for every tool. Choose the tether and lanyard/wire to match your working environment.



### 3 Put it together

#### HOW TO ATTACH HOLDERS WITH TAPE

• First wrap the tape around the tool a couple of times • Then lay the holder with the "seams" facing up • Wrap tightly, but not so tight that you destroy the properties of the tape • Attach the lanyard.



#### HOW TO ATTACH SWIVELS AND SCREWDRIVERS

- Attach the swivel to the screwdriver Tighten both screws
- 3 Attach the lanyard.



#### **HOW TO ATTACH RINGS AND SPANNERS**

1 Attach the ring to the spanner 2 Attach the lanyard.



#### Accessories



#### Connectors

The range includes a variety of different connectors such as swivels, shackles, quick links, acid-proof snap hooks and lightweight aluminium hooks. Snap hooks are available in a variety of different sizes and with different locking mechanisms.



#### Belts and bags

Whether you need to store your tools in a backpack or secure them on a tool belt, we can offer the perfect solution.



#### Nets

Nets are designed to act as backup protection for falling objects. They can be set up under or around the work area.



Item no:	Designation:
264700105	SAFETY NET 0.52MX6.00M
264700204	SAFETY NET 2.06MX6.18M



Item no:	Designation:
264921107	TOOL POUCH WITH 1 COMPARTMENT
264920901	TOOL POUCH WITH 6 COMPARTMENTS

Item no:	Designation:
264900101	TOOL BELT WITH 2 D RINGS
264900200	TOOL BELT WITH 5 D RINGS
264900309	TOOL BELT WITH 2 D RINGS
264920604	TOOL BELT PADDED JKB-305
264920703	TOOL BELT PADDED JKB338B
264921008	LEATHER BELT PADDED JKB-397



Item no:	Designation:
264920109	PVC BAG WITH STRAPS DA 1330



Item no:	Designation:
264640103	SNAP HOOK 62X110 MM ALU
264640202	SNAP HOOK 77X110 MM ALU
264640301	SNAP HOOK 66X113 MM ALU
264640400	SNAP HOOK 48X82 MM ALU
264640509	SNAP HOOK 72X116 MM ALU
264640806	SNAP HOOK 51X111 MM ALU
264641002	SNAP HOOK 73X135 MM ALU
264641101	SNAP HOOK 64X130 MM ALU



Item no:	Designation:
263870107	SNAP HOOK 6X60MM SF 316
263870206	SNAP HOOK 8X80MM SF 316
263870305	SNAP HOOK 10X100MM SF 316
263870404	SNAP HOOK 11X120MM SF 316
263880106	SNAP HOOK 6X60MM EYE SF 316
263880205	SNAP HOOK 7X70MM EYE SF 316
263880304	SNAP HOOK 8X80MM EYE SF 316
263880403	SNAP HOOK 9X90MM EYE SF 316
263880502	SNAP HOOK 10X100MM EYE SF 316
263880601	SNAP HOOK 11X110MM EYE SF 316
263920100	SNAP HOOK 6X60MM FLAT SF 316
263920209	SNAP HOOK 8X80MM FLAT SF 316
263920308	SNAP HOOK 10X100MM FLAT SF 316



Item no:	Designation:
263810103	SHACKLE D 5X19MM SF 316
263810202	SHACKLE D 6X22MM SF 316
263810301	SHACKLE D 8X37MM SF 316
263810400	SHACKLE D 10X35MM SF 316

Item no:	Designation:
263830101	SHACKLE D LONG 6X44MM SF 316
263830200	SHACKLE D LONG 8X69MM SF 316
263830309	SHACKLE D LONG 10X73MM SF 316

Item no:	Designation:
263820102	SHACKLE BOW 5X24MM SF 316
263820201	SHACKLE BOW 6X27MM SF 316
263820300	SHACKLE BOW 8X37MM SF 316

Item no:	Designation:
263840100	SHACKLE TWISTED 6X37MM SF 316
263840209	SHACKLE TWISTED 8X57MM SF 316

	Designation:
263910101	QUICK LINK 6MM SF 316
263910200	QUICK LINK 8MM SF 316
263910309	QUICK LINK 10MM SF 316

Item no:	Designation:
263890105	SWIVEL 65-5X59MM SF 316
263890204	SWIVEL 65-6X65MM SF 316
263890303	SWIVEL 65-8X92MM SF 316

Item no:	Designation:
263850109	SHACKLE D PINBOLT 6X22MM SF 316
263850208	SHACKLE D PINBOLT 8X26MM SF 316

Item no:	Designation:
263860108	SHACKLE BOW PINBOLT 6X28MM SF 316
263860207	SHACKLE BOW PINBOLT 8X30MM SF 316




#### Why Choose Luna ZeroDrop™?

#### SAVE TIME - TOOL AND FALL PROTECTION IN ONE

Safety in your workplace can never wait. Luna gives you access to both tools and accessories that guarantee your safety. With ZeroDrop $^{TM}$ , you can simply fasten the fall protection to the tool itself and you will avoid long delivery times.

#### LUNA ZeroDrop™ FOR THE TOOLS YOU ALREADY OWN

We have taken the time to find universal solutions. Even though they are based on the wide range of Luna tools, they can just as well be used on the majority of other tools with the same dimensions.



#### We are happy to help!

#### ZeroDrop™ online or in store

Regardless of whether you are online or in a physical store, you have easy access to our fall protection solutions. We have made tool fall protection easy to view, both online and in store, so it is easy to find the right fall protection solution for your needs.

#### Would you appreciate a workplace visit?

We are happy to come and offer tips and advice about how you can make your working day safer when using hand tools at height. Please contact us for a chat with no obligation!

#### Help for specific challenges

At Luna we develop products and ranges to make your working day safer. Do you have any special challenges or see the need to customise products even more? Contact your nearest dealer so together we can see how we can help you — we always appreciate a challenge here at Luna!

You know which hand tool you need - we know which fall protection is best!

